

M030

DIY handmade goods-

Enjoy the romantic Nordic




M030 Instruction Manual


NOTICE OF ASSEMBLE

Making tips


1. LED wiring indication: White=Positive; Grey=Negative.
2. Use a craft blade to carefully skim over the plastic to bare the copper wire.
3. For LED wiring extension, please refer to the below steps:



Twist the copper of both LED wire and extension wire together.




Do the same on the white wire. Remarks: Tie a knot at the end of the grey wire to differentiate the polarity.




Place the duly twist wire on the tapes provided.



Roll and wrap the wire.



Place another wire next to it. Remarks: DO NOT contact both copper wire to avoid short circuit.



Roll and wrap it together

Warnings

- The product is not suitable for children under 14 years old. The should be under custody of adults when playing with the product.
- There are small parts, please do not swallow them for avoiding dangerous accidents.
- Please also play attention to the sharp-pointed materials to avoid injuries.

Tips for assembling

1. Pictures shown on the package may be slightly different from the actual product.
2. Please use the provided tracing paper for cutting purpose to achieve the best outcome.
3. Product designs and specification maybe subject to change without advance notice for purpose of making improvement.
4. Testing on LED function:



DO NOT contact the LED wire end direct to the battery cell.




Use the provide battery holder. Make sue the correct polarity.


How to assemble the remote control lamp




1. Material needed:
- Remote controller, receiver, LED bulb, tape and 3 pieces button battery.(provided)




2. Connect the red wire to grey wire. Connect the black wire to white wire.




3. Wrap the exposed wire with the tapes.



4. Insert the battery take notes on the polarity.




5. Bend the sheet iron on receiver as shown.



6. The remote controller aimed at receiver, press the ON button key to light.








Product information






Bookshelf




Decorating







The book making method is same as above.






1




2












1 Cut off C05 with size 2.5*5cm, and fold it half as shown.















8 According the step 1-3 to do the B17, B15.




2 Insert some cotton to C08 as shown. Apply the glue on the top and fix it as shown the pillow is done.



Side table



Dining Table



2



1


A09-36



3

C11

C23



1

A09-17

B24



2



1

C20
(1 cm)

C32


C33



2

B25

B25




3



2

0.4cm
0.6cm

C20 : 1 cm



1

A09-20



1

0.4cm
0.5cm

C21 : 1 cm




3

C20

C32

C33

* 2pcs



2

A09-20

C10

Cut the C10




2

C30

Table



Chair




3



4




1



1

Attach C04 on B51 and B52 as shown.



Dining chair




2



2




1



3




3




2









4



4




Cabinety




Bathroom




Potted plant




Cut the C09



1




1




A09-28

Cut the C09

*2pcs



2



2




1



3




3



2









4




4




3





3



7




12

Music machine core manual guide
(If you have purchased the music machine core, please fix it firstly)






F01 Music machine core 1 piece
F02 Screw 3 pieces
F03 Music machine core handle 1 piece




8




13



4




9




14




5




10




15



6










11




16

Fix F01, F02 and F03 on A04 as shown.





3




4

Bathroom




Draw the line with a small knife



Draw 3 straight lines on C49 and C48 with a knife as above shown.

Tear off kraft paper of each piece of transparent cover.



Attach C48, C49, C50 and C51 well as shown.


How to connect to battery box

Statement: the lamp wires cannot be inserted into the output socket.

- Please notice the place of anode and cathode when pit in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix;
- Do not mix new batteries in use with semi-used batteries.




Install bedside table lamp and fix power wires along the yellow dotted lines.
Install floor lamp and fix power wires along the red dotted lines.
Install chandelier and fix power wires along the green dotted lines.




1. Trim all the LED wiring to the same length.



2. Use a craft blade to carefully skim over the plastic to bare the copper wire. Twist the same colour wire together.



Insert the battery C54 on receiver C53, please pay attention the polarity.




3. Twist the following wire together:
(I) BLACK wire from the battery box with the WHITE wire from LED bulb.
(II) RED wire from the battery box with the GREY wire from LED bulb.




Take out the paper as above.
“ON” means to turn on the lights
“OFF” means turning off the lights.



Stair



1



2

Installation of dust proof cover

(For updated version, the parts need to be purchased separately)





F04 Transparent cover
0.18*20*27cm
(1 piece)



F05 Transparent cover
0.18*16.5*26.4cm
(2 pieces)



F06 Transparent cover
0.3*16.5*20cm
(2 pieces)



1. Tear off kraft paper of each piece of transparent cover.

2. Paste F04, F05, and F06 together to complete the dust proof cover as shown.

Photo of Dust proof cover



Attention: Please keep the instruction manual for future enquires after installation.