


M043





Simple
life



NOTICE OF ASSEMBLE

Making tips


1. LED wiring indication: White=Positive; Grey=Negative.
2. Use a craft blade to carefully skim over the plastic to bare the copper wire.
3. For LED wiring extension, please refer to the below steps:



Twist the copper of both LED wire and extension wire together.




Do the same on the white wire. Remarks: Tie a knot at the end of the grey wire to differentiate the polarity.




Place the duly twist wire on the tapes provided.



Roll and wrap the wire.



Place another wire next to it. Remarks: DO NOT contact both copper wire to avoid short circuit.




Roll and wrap it together.

Warnings


- The product is not suitable for children under 14 years old. The should be under custody of adults when playing with the product.
- There are small parts, please do not swallow them for avoiding dangerous accidents.

Tips for assembling

1. Pictures shown on the package may be slightly different from the actual product.
2. Please use the provided tracing paper for cutting purpose to achieve the best outcome.
3. Product designs and specification may be subject to change without advance notice for purpose of making improvement.
4. Testing on LED function:



DO NOT contact the LED wire end direct to the battery cell.



Use the provide battery holder. Make sue the correct polarity.


How to assemble the battery holder




1. Material and tools needed:
- Battery holder, LED bulb, tape, screw driver and 2 piece AA size battery(not provided)



2. Use screw driver and take the lid off from the battery holder.




3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire, Connect the black wire to white wire.






5. Wrap the exposed wire with the tapes.




6. Place the box lid and fastness with screw driver.

Product information





Refrigerator



Potted plant



Potted plant



Potted plant



Exhaust fan




Computer



Printing paper on the front and back of C16

Table



-31


The making method of A16-31, please refer to Page 3.

TV



TV console






Decoration






Bend H03 as below shown.






Bend H06 as below shown.



Cut out the material J03 according to the template paper before making.






Pillow



Double bed

Cut out the material J02,H11,H13,H14,H17 according to the template paper before making.



Tear the edge off as above shown.



The making method of pillow, please refer to page 6.


Bedside table




Vase



Deco



Wardrobe



Attach A13-13 on B09, then paste two B09 together as shown.

Skirt



Follow the steps as above shown to make the skirt.

sofa


Cut out the material J02,H11,H12 according to the template paper before making.



H12 sofa cushion



Attach A16-15 to E06 as shown.



E04



H12 sofa backrest



P2



E06



E05



H12 sofa hadrail



P3

H12




P3







the making method of pillow, please refer to the page 7.

footstool

Cut out the material J02,H12 according to the template paper before making.



E01





H07

clothes



H15

attach the template on H15, and cut out as shown.



Cut out the material H16 according to the template paper before making.

kitchen rag




H01



G05
(2pieces)

bend H01 as shown.




1.7CM
H01
(2.4CM)



G05

G05




H16kitchen

Cut out the material J02 according to the template paper before making.

floor lamp



H02 H06 K01



K01

H02
(5cm)



J02 floor lamp



H06

wall lamp



G15

G01

K01



G15

G01




K01

(2pieces)

make the G15 holes bigger with tools

street lamp



H06 G16 G13



G13

G16



G16

J18
(5cm)



G13

H06

wall lamp



G17

G15

G01

K01



G15

G01




K01

G17




glass wall



F08 A10 A09 A08

F09 B12 (3pieces)



F08
A10

F08

F09

A10
(3pieces)

A09

W1(3pieces)

W2(1 piece)



A16-10


A08

W1
A08



W1

B12



B12

attach the TV console to this glass wall as shown.



Music machine core manual guide

(If you have purchased the music machine core, please fix it firstly)



L05 Music machine core 1 piece




L06 Music machine core handle 1 piece



L07 Screw 3 pieces








L05
back view



L07
L06
front view

fix the music movement on A03 as shown.

COVER BOX



A05

A04

A05

A06

A04

A05

A16-8

A16-8

wall lamp

fold A16-8 according to the dotted lines as shown.

fix the wall lamp as shown.

back view



front view



fix power wires as above shown
Please follow this line to prevent the music machine for running.

How to assemble the battery box


Statement: the lamp wires cannot be inserted into the output socket.

- Can use 7 batteries
- Please notice the place of anode and cathode when pit in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix; Do not mix new batteries in use with semi-used batteries.
- Run out of battery should be removed from the toy
- The power shall not be short circuit




Trim all the LED wiring to the same length.

Use a craft blade to carefully skim over the plastic to bare the copper wire. Twist the same color wire together.



Twist the following wire together:
 (I) BLACK wire from the battery box with the WHITE wire from LED bulb.
 (II) RED wire from the battery box with the GREY wire from LED bulb.




Roll and seal the duly twist copper with the white tape K03 provided.
 Place the battery box in the allocated space.



A16-12

**Installation of dust proof cover
 (For updated version, the parts need to be purchased separately)**



scale 1:6
 L01 Transparent cover
 28*19*0.2cm
 1piece




scale 1:6
 L02 Transparent cover
 19*10.5*0.2cm
 1piece




scale 1:6
 L03 Transparent cover
 27.2*10.5*0.2cm
 1piece



scale 1:6
 L04 Transparent cover
 10.5*3.7*0.2cm
 1piece



1. Tear off kraft paper of each piece of transparent cover.



2. Paste L01, L02, L03 and L04 together to complete the dust proof cover as shown.





Attention: Please keep the instruction for future enquires after installation.